

1. Greenhill LL. Diagnosing attention-deficit hyperactivity disorder in children. *J Clin Psychiatry* 1998; 59: (suppl 7) 31-41.
2. American Psychiatric Association. *Diagnostic and Statistical Manual of Mental Disorders*, ed 4. Washington, DC, American Psychiatric Association, 1994
3. Stubbe DE. Attention Deficit Hyperactivity Disorder Overview: Historical perspective, current controversies and future directions. *Child and Adolescent Psychiatric Clinics of North America* 2000; 9: 469-479
4. Waisburg HA. Trastorno por déficit de atención con Hiperactividad (capítulo 4, pags 129-150). En: Massei H. *Psicofarmacología*. Editorial Polemos, Buenos Aires 2005
5. Soutullo C, Diez A. *Manual de diagnóstico y tratamiento del TDAH*. Editorial Médica Panamericana, Madrid, 2007).
6. Pediatrics AAO Committee on Quality Improvement SoA-DHD. Diagnosis and evaluation of the child with attention-deficit/hyperactivity disorder. *Pediatrics* 2000;105:1158-70
7. Faraone SV, Sergeant J, Gillberg C, et al. The worldwide prevalence of ADHD: is it an American condition? *World Psychiatry* 2003;2(2):104-13.
8. Biederman J, Faraone SV. Attention deficit hyperactivity disorder: a worldwide concern. *J Nerv Ment Dis* 2004;192:453-4.
9. Bird HR, Gould MS, Straghezza BM. Patterns of psychiatric comorbidity in a community sample of children aged 9 through 16 years. *J Am Acad Child and Adolesc Psychiatry* 1993; 32: 361-368.)
10. Barkley RA, Fischer M, Edelbrock CS et al. The adolescent outcome of hyperactive children diagnosed by research criteria: An 8-year prospective follow-up study. *J Am Acad Child Adolesc Psychiatry* 1990; 29: 546-557.
11. Satterfield J, Swanson J, Schell A et al. Prediction of antisocial behavior in attention deficit hyperactivity disorder boys from aggression defiance scores. *J Am Acad Child Adolesc Psychiatry* 1994; 33: 185-190.)
12. Mannuzza S, Klein R, Bessler A, et al. Adult outcome of hyperactive boys: Educational achievement, occupational rank, and psychiatric status. *Arch Gen Psychiatry* 1993; 50: 565-576.)
13. National Institutes of Health: National Institutes of Health Consensus Development Conference Statement: Diagnosis and treatment of attention deficit hyperactivity disorder (ADHD). *J Am Acad Child Adolesc Psychiatry* 2000; 39:182-193.).
14. Mannuzza S, Klein RG, Bonagura N, et al. Hyperactive boys almost grown up: II Status of subjects without a mental disorder. *Arch Gen Psychiatry* 1988; 45: 13-18),
15. Biederman J, Faraone SV, Keenan K et al. Further evidence for family genetic risk factors in ADHD. Patterns of comorbidity in probands and relatives in psychiatrically and paediatrically referred samples. *Arch Gen Psychiatry* 1992; 49: 72-73.),
16. Biederman J, Faraone SV, Milberger S et al. Predictors of persistence and remission of ADHD into adolescence: Results from a four-year prospective follow-up study. *J Am Acad Child Adolesc Psychiatry* 1996; 35: 343-351.
17. Klein RG, Mannuzza S. Long-term outcome of hyperactive children. A review. *J Am Acad Child Adolesc Psychiatry* 1991; 30: 383-387.)
18. Wilens T, Biederman J, Spencer T. Attention deficit hyperactivity disorder. *Annu Rev Med* 2002;53:113-31.
19. Biederman J, Faraone S, Mick E. Age dependent decline of ADHD symptoms revisited: impact of remission definition and symptom subtype. *Am J Psychiatry* 2000;157:816-7.
20. Chamorro R.(1994). Síndrome por Déficit Atencional. *Manual de Neurología Pediátrica*. Mediterráneo. Chamorro R. ( 2007) *Inteligencia, diversidad cognitivo- emocional*. Terremotos y soñadores. *TDAH JOURNAL*. N° 12. Mayo 2007. Buenos Aires.
21. Jensen PS. ADHD: Current concept son etiology, pathophysiology, and neurobiology. *Child and Adolescent Psychiatric Clinics of North America* 2000; 9: 557-572.
22. III: epidemiología del TDAH. Hudziak JJ. Genética del trastorno por déficit de atención con hiperactividad. Capítulo II, págs. 57-78. En: Brown TE. *Trastornos por déficit de atención y comorbilidades en niños, adolescentes y adultos*. Masson 2003, Barcelona
23. Hudziak JJ. Genética del trastorno por déficit de atención con hiperactividad. En: Brown TE (ed). *Trastornos por déficit de atención y comorbilidades en niños, adolescentes y adultos*. Masson 2003, Barcelona.

24. Goldman L, Genel M, Bezman R, et al. Diagnosis and treatment of attention-deficit/hyperactivity disorder in children and adolescents. *JAMA* 1998;279(14):1100–7
25. Carlson CL, Mann M. Attention-Deficit/Hyperactivity Disorder, predominantly inattentive subtype. *Child and Adolescent Psychiatric Clinics of North America* 2000; 9: 499-510.
26. Eiraldi RB, Power TJ, Nezu CM. Patterns of comorbidity associated with subtypes of ADHD among 6 – to 12 – year – old children. *J Am Acad Child Adolesc Psychiatry* 1997; 36: 503-514.
27. Morgan AE, Hynd G, Riccio CA et al. Validity of DSM-IV ADHD predominantly inattentive and combined types: Relationship to previous DSM diagnoses/subtype differences. *J Am Acad Child Adolesc Psychiatry* 1996; 35: 325-333.
28. Wolraich ML, Hannah JN, Pinnock TY, et al. Comparison of diagnostic criteria for attention deficit hyperactivity disorder in a country-wide sample. *J Am Acad Child Adolesc Psychiatry* 1996; 35: 319-324
29. Gomez R, Harvey J, Quick C, et al. DSM-IV AD/HD: Confirmatory factor models, prevalence, and gender and age differences based on parent and teacher ratings of Australia Primary School Children. *J Child Psychol Psychiatry* 1999; 40: 265-274.
30. Milich R, Balentine AC, Lynam DR. ADHD combined type and ADHD predominantly inattentive type are distinct and unrelated disorders. *Clin Psychol Sci Pract.* 2001;8:463–488
31. American Psychiatric Association. *Diagnostic and Statistical Manual of Mental Disorders.* 4th ed, text rev. Washington, DC: American Psychiatric Association; 2000.
32. Biederman J, Faraone S, Milberger S, et al. A prospective 4-year follow-up study of attention-deficit hyperactivity and related disorders. *Arch Gen Psychiatry.* 1996;53:437–446
33. Ingram S, Hechtman L, Morgenstern G. Outcome issues in ADHD: adolescent and adult long-term outcome. *Ment Retard Dev Disabil Res Rev.* 1999;5:243–250
34. Milich R, Loney J. The role of hyperactivity and aggressive symptomatology in predicting adolescent outcome among hyperactive children. *J Pediatr Psychol.* 1979;4:93–112.
35. E, Weiss G, Minde K, Cohen N. The hyperactive child at adolescence: emotional, social, and cognitive functioning. *J Abnorm Child Psychol.* 1978;6:311–324.
36. Barkley R, Anastopoulos AD, Guevremont DC, Fletcher KE. Adolescents with attention deficit hyperactivity disorder: mother-adolescent interactions, family beliefs and conflicts, and maternal psychopathology. *J Abnorm Child Psychol.* 1992;20:263–288.
37. Barkley R, Anastopoulos A, Buevremont DC, et al. Adolescents with ADHD: patterns of behavioral adjustment, academic functioning, and treatment utilization. *J Am Acad Child Adolesc Psychiatry.* 1991;30: 752–761
38. Stewart M, Mendelson W, Johnson NE. Hyperactive children as adolescents: how they describe themselves. *Child Psychiatry Hum Dev.* 1973;4:3–11.
39. Wolraich ML, Wibbelsman Ch J, Brown TE, Evans SW, Gotlieb EM, Knight JR, Ross C, Shubiner HH, Wender EH, Wilens T. Attention-Deficit/Hyperactivity Disorder Among Adolescents: A Review of the Diagnosis, Treatment, and Clinical Implications. *Pediatrics* 2005;115:1734–1746
40. Carlson C, Mann M. Sluggish cognitive tempo predicts a different pattern of impairment in the attention deficit hyperactivity disorder, predominantly inattentive type. *J Clin Child Adolesc Psychol.* 2002;31: 123–129.
41. Corkum P, Moldofsky H, Hogg-Johnson S, et al. Sleep problems in children with attention-deficit/hyperactivity disorder: impact of subtype, comorbidity, and stimulant medication. *J Am Acad Child Adolesc Psychiatry.* 1999;38:1285–1293.
42. Stein D, Pat-Horenczyk R, Blank S, et al. Sleep disturbances in adolescents with symptoms of attention-deficit/hyperactivity disorder. *J Learn Disabil.* 2002;35:268–275
43. Molina B, Pelham WE, Blumenthal J, Galiszewski EG. Agreement among teachers' behavior ratings of adolescents with a childhood history of attention deficit hyperactivity disorder. *J Clin Child Psychol.* 1998;27:330–339.
44. Mitsis EM, McKay KE, Schulz KP, et al. Parent-teacher concordance for DSM-IV attention-deficit/hyperactivity disorder in a clinic-referred sample. *Child Adolesc Psychiatry.* 2000;39:308–313
45. Kramer TL, Phillips SD, Hargis MB, et al. Disagreement between parent and adolescent reports of functional impairment. *J Child Psychol Psychiatry.* 2004;45:248–259.
46. Romano E, Tremblay RE, Vitaro F, et al. Prevalence of psychiatric diagnoses and the role of perceived impairment: findings from an adolescent community sample. *J Child Psychol Psychiatry.* 2001;42: 451–462

47. Smith B, Pelham WE Jr, Gnagy E, et al. The reliability, validity, and unique contributions of self-report by adolescents receiving treatment for attention-deficit/hyperactivity disorder. *J Consult Clin Psychol.* 2000;68:489–499.
48. Barkley R, Murphy K, Kwasnik D. Motor vehicle driving competencies and risks in teens and young adults with attention deficit hyperactivity disorder. *Pediatrics.* 1996;98:1089–1095
49. Tannock R, Brown T. Attention deficit disorders with learning disorders in children and adolescents. In: Brown T, ed. *Attention Deficit Disorders and Comorbidities in Children, Adolescents and Adults.* Washington, DC: American Psychiatric Press; 2000
50. Popper Ch, Gammon GD, West SA, Bailey Ch. Trastornos de inicio en la lactancia, la niñez o la adolescencia. (tomo II, capítulo XX, 833-974) En: Hales RE, Yudofsky SC.(ed). *Tratado de Psiquiatría Clínica.* Barcelona, Masson 2004.
51. Moynihan R, Cassels A. *Medicamentos: ¿Derecho o mercancía? Salud y comercio, laboratorios, patentes farmacéuticas y multinacionales...* Santiago, Chile: Editorial Aún Creemos en los Sueños, Le Monde Diplomatique.
52. Spencer T, Biederman J, Wilens T et al. *Adults with Attention Deficit Hyperactivity Disorder: A Controversial Diagnosis.* *J Clin Psychiatry* 1998; 59(Suppl 7):59-68
53. McCough J, Barkley R. Diagnostic Controversies in Adult Attention Deficit Hyperactivity Disorder. *Am J Psychiatry* 2004;161:1948-1956
54. Wender P. *Attention-Deficit/Hyperactivity Disorder in Adults.* Oxford, NY: Oxford University Press, 1995.
55. Mannuzza S, Klein R, Klein D et al. *Accuracy of Adult Recall of Childhood Attention Deficit Hyperactivity Disorder.* *Am J Psychiatry* 2002;159:1882-1888
56. Weiss M, Trokenberg L, Weiss G. *ADHD in Adulthood: A Guide to Current Theory, Diagnosis, and Treatment.* Baltimore, Maryland: The Johns Hopkins University Press, 1999.
57. Biederman J, Mick E, Faraone S. *Age-Dependent Decline of Symptoms of Attention Deficit Hyperactivity Disorder: Impact of Remission Definition and Symptoms Type.* *Am J Psychiatry* 2000;157:816-818. 14.-Mick E, Faraone S, Biederman J. *Age-Dependent Expression of Attention-Deficit/Hyperactivity Disorder Symptoms.* *Psychiatr Clin N Am* 2004;27:215-224.
58. Cozza SJ, Crawford GC, Dulcan MK. Tratamiento de Niños y Adolescentes. (tomo II, capítulo XXXIII, 1399- 1452). En: Hales RE, Yudofsky SC.(ed). *Tratado de Psiquiatría Clínica.* Barcelona, Masson 2004.
59. Biederman J, Faraone S, Lapey K. Comorbidity of diagnosis in attention déficit hyperactivity disorder. *Child Adolesc Psychiatr Clin North Am* 1992; 1: 335-360.
60. Biederman J, Newcorn J, Sprich S. Comorbidity of attention deficit hyperactivity disorder with conduct, depressive, anxiety and other disorders. *Am J Psychiatry* 1991; 148: 564-577
61. DuPaul GJ, Barkley RA, McMurray MB. Response of children with ADHD to methylphenidate: Interaction with internalizing symptoms. *J Am Acad Child Adolesc Psychiatry* 1994; 33: 894-903.
62. Tannock R, Ickowicz A, Schachar R. Differential effects of methylphenidate on working memory in ADHD children with and without comorbid anxiety. *J Am Acad Child Adolesc Psychiatry* 1995; 34: 886-896.)
63. Diamond IR, Tannock R, Schachar RJ. Response to methylphenidate in children with ADHD and anxiety. *J Am Acad Child Adolesc Psychiatry* 1999; 38: 402-409).
64. Barkley RA, McMurray MB, Edelbrock CS, et al. The response of aggressive and non-aggressive ADHD children to two doses of methylphenidate. *J Am Acad Child Adolesc Psychiatry* 1989; 28: 873-881
65. Klein RG, Abikoff H, Klass E, et al. Clinical efficacy of methylphenidate in conduct disorder with and without attention déficit hyperactivity disorder. *Arch Gen Psychiatry* 1997; 54: 1073-1080).
66. Kuhne M, Schachar R, Tannock R. Impact of comorbid oppositional or conduct problems on attention-deficit hyperactivity disorder. *J Am Acad Child Adolesc Psychiatry* 1997; 36: 1715-1725.
67. Barkley R. *Attention Deficit Hyperactivity Disorder: A Handbook for Diagnosis and Treatment.* New York, NY: Guilford Press; 1998
68. Hechtman L. Assessment and diagnosis of Attention Deficit Hyperactivity Disorder. *Child and Adolescent Psychiatric Clinics of North America* 2000; 9: 481-498).
69. MTA Cooperative Group: A 14-month randomized clinical trial of treatment strategies for Attention Deficit Hyperactive Disorder. *Arch Gen Psychiatry* 1999; 56: 1073-1086.)

70. Fergusson D, Horwood LJ, Lynskey MT. Prevalence and comorbidity of DSM-III-R diagnoses in a birth cohort of 15 year olds. *J Am Acad Child Adolesc Psychiatry*. 1993;32:1127–1134
71. Fischer M, Barkley RA, Smallish L, Fletcher K. Young adult follow-up of hyperactive children: self-reported psychiatric disorders, comorbidity, and the role of childhood conduct problems and teen CD. *J Abnorm Child Psychol*. 2002;30:463–475.
72. Rasmussen P, Gillberg C. Natural outcome of ADHD with developmental coordination disorder at age 22 years: a controlled, longitudinal, community-based study. *J Am Acad Child Adolesc Psychiatry*. 2000; 39:1424–1431
73. Weiss G, Hechtman LT. *Hyperactive Children Grown Up*. New York, NY: Guilford Press; 1986
74. Connor D, Edwards G, Fletcher KE, et al. Correlates of comorbid psychopathology in children with ADHD. *J Am Acad Child Adolesc Psychiatry*. 2003;42:193–200.
75. Lewinsohn P, Rohde P, Seeley JR. Adolescent psychopathology, III: the clinical consequences of comorbidity. *J Am Acad Child Adolesc Psychiatry*. 1995;34:510–519.
76. Gammon G, Brown T. Fluoxetine and methylphenidate in combination for treatment of attention deficit disorder and comorbid depressive disorder. *J Child Adolesc Psychopharmacol*. 1993;3:1–10
77. Faraone S, Biederman J, Wozniak J, et al. Is comorbidity with ADHD a marker for juvenile-onset mania? *J Am Acad Child Adolesc Psychiatry*. 1997;36:1046–1055
78. Geller B, Zimmerman B, Williams M, et al. DSM-IV mania symptoms in a prepubertal and early adolescent bipolar disorder phenotype compared to attention-deficit hyperactive and normal controls. *J Child Adolesc Psychopharmacol*. 2002;12:11–25.
79. Hechtman L. Assessment and diagnosis of Attention Deficit Hyperactivity Disorder. *Child and Adolescent Psychiatric Clinics of North America* 2000; 9: 481-498).
80. Schubiner H, Tzelepis A, Milberger S. Prevalence of attention deficit hyperactivity disorder and conduct disorder among substance abusers. *J Clin Psychiatry*. 2000;61:244–251
81. Biederman J, Wilens T, Mick E, et al. Is ADHD a risk factor for psychoactive substance use disorders? Findings from a four-year prospective follow-up study. *J Am Acad Child Adolesc Psychiatry*. 1997;36: 21–29
82. Carroll K, Rounsaville BJ. History and significance of childhood attention deficit disorder in treatment-seeking cocaine abusers. *Compr Psychiatry*. 1993;34:75–82.
83. Biederman J, Wilens T, Mick E, et al. Psychoactive substance use in adults with attention deficit hyperactivity disorder (ADHD): effects of ADHD and psychiatric comorbidity. *Am J Psychiatry*. 1995;52: 1652–1658
84. Molina B, Pelham W. Childhood predictors of adolescent substance use in a longitudinal study of children with ADHD. *J Abnorm Psychol*. 2003;112:497–507
85. Satterfield J, Hoppe C, Schell A. A prospective study of delinquency in 110 adolescent boys with attention deficit hyperactivity disorder and 88 normal adolescent boys. *Am J Psychiatry*. 1982;139:795–798.
86. Faraone SV, Wilens T. Does stimulant treatment lead to substance use disorders? *J Clin Psychiatry*. 2003;11(suppl 64):9–13.
87. Parrot A. Cognitive deficits and cognitive normality in recreational cannabis and ecstasy/MDMA users. *Hum Psychopharmacol*. 2003;18: 89–90.
88. Pidsosny IC, Virani A. Pediatric Psychopharmacology Update: Psychostimulants and Tics – Past, Present and Future. *J Can Acad Child Adolesc Psychiatry* 2006; 15: 84-86
89. Allen, A.J., Kurlan, R.M., Gilbert, D.L., Coffey, B.J., Linder, S.L., Lewis, D.W., et al. (2005). Atomoxetine treatment in children and adolescents with ADHD and comorbid tic disorders. *Neurology*; 65:1941-1949
90. Gualtieri, C.T. & Patterson, D.R. (1986). Neuroleptic-induced tics in two hyperactive children. *American Journal of Psychiatry*; 173: 1176-1177
91. National Institute of Mental Health Multimodal Treatment Study of ADHD follow-up: 24-month outcomes of treatment strategies for attention-deficit/hyperactivity disorder. *Pediatrics* 2004;113(4):754–61
92. Greenhill LL, Pliszka S, Dulcan MK, et al. Practice parameter for the use of stimulant medications in the treatment of children, adolescents, and adults. *J Am Acad Child Adolesc Psychiatry* 2002;41(2 Suppl):265– 49S
93. Jensen P, Kettle L, Roper M et al. Are stimulants overprescribed? Treatment of ADHD in four U.S. communities. *J Am Acad Child Adolesc Psychiatry* 1999; 38: 797-804.

94. Wilens TE, Spencer TJ. Child and Adolescent Psychiatric Clinics of North America 2000; 9: 573-603).
95. \*García R: "Psicofarmacología". En: Almonte C, Montt ME, Correa A. Psicopatología Infantil y de la Adolescencia. Santiago, Mediterráneo, 2003.
96. Garcia – i Giral M. Capítulo 6: "Psicoestimulantes" (págs., 255-316). En: Toro J. (ed). Psicofarmacología Clínica de la Infancia y la Adolescencia. Editorial Masson, Barcelona, 1998
97. Adler L, Chua H. *Management of ADHD in Adults*. J Clin Psychiatry 2002;63(Suppl 12):29-35
98. Peterson K, McDonagh M, Fu R. *Comparative Benefits and Harms of Competing Medications for Adults with Attention-Deficit Hyperactivity Disorder: A Systematic Review and Indirect Comparison meta-analysis*. Psychofarmacology. En prensa, 2007
99. Biederman J, Spencer T, Wilens T. Capítulo 30: "Psicofarmacología".(págs. 945-987). En: Wiener JM, Dulcan MK. Tratado de Psiquiatría de la Infancia y la Adolescencia. Editorial Masson, Barcelona, 2006.
100. Zarin DA, Suarez AP, Pincus HA, Kupersanin BA, Zito JM: Clinical and treatment characteristics of children with attention-deficit/hyperactivity disorder (ADHD) in psychiatric practice. J Am Acad Child Adolesc Psychiatry 37:1262–1270, 1998
101. Physicians Desk References. *Psychotropic Prescribing Guide*. Montalve NJ: Thomson, 2004.
102. Biederman J, Quinn D, Weiss M, et al. Efficacy and safety of Ritalin LA, a new, once daily, extended-release dosage form of methylphenidate, in children with attention deficit hyperactivity disorder. Paediatr Drugs 2003;5:833 – 41
103. Challman T, Lipsky J. *Metilfenidato*: Su farmacología y usos. Mayo Clin Proc 2000;75:71-721
104. Ritalin-LA<sup>®</sup> Package insert. East Hanover, NJ: Celltech Pharmaceuticals, Inc, 2002
105. Swanson J, Gupta S, Lam A, et al. Development of a new once-a-day formulation of methylphenidate for the treatment of attention-deficit/hyperactivity disorder: proof-of-concept and proof-of-product studies. Arch Gen Psychiatry 2003; 60(2):204– 11.
106. Stein MA, Sarampote CS, Waldman ID, et al. A dose-response study of OROS methylphenidate in children with attention deficit/hyperactivity disorder. Pediatrics 2003;112(5):e404
107. Greenhill LL, Findling RL, Swanson JM, for the ADHD Study Group. A double-blind, placebo-controlled study of modified-release methylphenidate in children with attention deficit/hyperactivity disorder. Pediatrics 2002;109(3):E39.
108. Zametkin A, Liotta W. The neurobiology of attention deficit / hyperactivity disorder. J Clin Psychiatry 1998; 59: 17-23).
109. Hugo Masei (editor). Psicofarmacología Infante Juvenil. Editorial Polemos, Buenos Aires, 2005. Waisburg HA. Capítulo 4: "Trastorno por déficit de atención con hiperactividad".
110. Waslick B, Greenhill LL. Capítulo 26: "Trastorno por déficit de atención con hiperactividad" (págs.487-509). En: Wiener JM, Dulcan MK. Tratado de Psiquiatría de la Infancia y la Adolescencia. Editorial Masson, Barcelona, 2006.
111. Spencer T, Biederman J, Wilens T, et al. Pharmacotherapy of attention-deficit hyperactivity disorder across the life cycle. J Am Acad Child Adolesc Psychiatry 1996; 35: 409-432.
112. Castellanos, F.X., Giedd, J.N., Elia, J., Marsh, W.L., Ritchie, G.F., Hamburger, S.D., et al. (1997). Controlled Stimulant Treatment of ADHD and Comorbid Tourette's Syndrome: Effects of Stimulant and Dose. *J Am Acad Child Adolesc Psychiatry*; 36(5): 589-596
113. Denckla, M., Bemporad, J.R. & MacKay, M.C. (1976). Tics Following Methylphenidate Administration A Report of 20 Cases. *JAMA*; 235: 1349-1351
114. Varley, C.K., Vincent, J., Varley, P. & Calderon, R. (2001). Emergence of Tics in Children With Attention Deficit Hyperactivity Disorder Treated With Stimulant Medications. *Comprehensive Psychiatry*; 42(3): 228- 233
115. Guze BH, Ferng W, Szuba MP, Richeimer S. Guía Farmacológica en Psiquiatría. Capítulo 6: "Psicoestimulantes". Mosby-Year Book; Barcelona, 1993.
116. Popper Ch. Pharmacologic alternatives to psychostimulants for the treatment of attention-deficit/hyperactivity disorder. Child and Adolescent Psychiatry Clinics of North America 2000; 9: 605-646. (Soutullo C, Diez A. Manual de diagnóstico y tratamiento del TDAH. Editorial Médica Panamericana, Madrid, 2007) .
117. Werry J, Aman M, Lampen E: Imipramine and methylphenidate in hyperactive children. J Child Psychol Psychiatry 1980; 21:27-35.

118. Dunner DL, Zisook S, Billow AA, et al: A prospective safety surveillance study for bupropion sustained- release in the treatment of depression. *J Clin Psychiatry* 1998;59: 366-373
119. Goldstein MG. Bupropion sustained release and smoking cessation. *J Clin Psychiatry* 1998; 59 (suppl 4): 66-72.
120. Silva RR, Muñoz DM, Alpert M: Carbamazepine use in children and adolescents with features of attention-deficit hyperactivity disorder: A meta-analysis. *J Am Acad Child Adolesc Psychiatry* 1996; 35: 352-358
121. Castro J. Capítulo 4: "Agentes Antipsicóticos o Neurolépticos" (págs., 161-225). En: Toro J. (ed). *Psicofarmacología Clínica de la Infancia y la Adolescencia*. Editorial Masson, Barcelona, 1998.